

The Dune series offers all of the necessary features for quick and easy weighing. Every Dune is equipped with an AC adapter, auto calibration through the keypad, low battery indicator, and overload indicator. With its alternate battery operation, splash-proof keypad, and sturdy plastic construction throughout, the Dune delivers accurate readings in field, classroom, workplace or lab, a truly versatile and portable product.

Streamlined design for basic weighing in the lab, classroom or field







Features

- · High-contrast display is easily visible from a distance
- · Colour-coded keys facilitate quick recognition of the most frequently used buttons
- · Lightweight design simplifies transport and portability
- · Overload protection helps prevent damage to internal components
- · Sealed keypad protects against dirt and spills
- · Large platform removes easily for speedy cleaning
- Auto power-off to save energy
- Zero-tracking feature ensures display returns to zero reading
- Operates with AC adapter (included) or batteries (not included)

DCT 302

Applications

Weighing

About ADAM:

For more than 40 years, professionals worldwide have relied on Adam Equipment for an extensive selection of dependable and affordable weighing equipment. Adam provides the right balance of speed, performance and value.



Dune® Portable Compact Balances



Model	DCT 302	DCT 201	DCT 601	DCT 2001	DCT 2000	DCT 5000
Capacity	300g	200g	600g	2000g	2000g	5000g
Readability	0.01g	0.1g	0.1g	0.1g	1g	2g
Repeatability (S.D.)	0.01g	0.1g	0.1g	0.1g	1g	2g
Linearity (+/-)	0.02g	0.2g	0.2g	0.2g	2g	4g
Pan Size	100mm ø 145x145mm					
Weighing Units	g, oz		g, lb, oz			
Tare Range	Full range					
Stabilisation Time (sec)	2					
Calibration	External calibration					
Display	LCD with 15mm -high digits					
Power Supply	12VAC 50/60Hz 150mA adapter / 6 x AA batteries					
Operating Temperature	0° to 40°C					
Housing	ABS plastic					
Draught Shield	Square 145x148x120mm N/A					
Overall Dim.	147x208x150mm (wxdxh)					
Net Weight	0.5kg					

Accessories

Item number	Description
700660290	Calibration certificate
700100012	F1 200g Calibration Weight
700100010	F1 2kg Calibration Weight
700100030	M1 2kg Calibration Weight
700100060	M1 500g Calibration Weight
700100072	M1 200g Calibration Weight

Supplied by